


General Information

Brand: Product Group: Sub Group: Article Group: Date of Introduction:	Profigold Oxypure VIDEO CABLE HDMI September 2009		
---	---	--	--

Article Information

Item Number: Description:	OXYV1001 1,0 m / 3.3 ft Ultra Performance 1440p High Speed HDMI Interconnect
------------------------------	--

Features & Benefits

- High Speed 1.3c cat 2 certified and supports Deep Colour & x.v. Colour™ for ultra HD experience
- UPCS OCC® conductors (Ultra Pure Crystal Silvered Copper by Ohno Continuous Casting®) for ultimate digital signal transfer
- Quad shielding to protect against external RF interference, radiation and signal loss
- Dual 2nd generation Interference Absorption Technology® ferrite cores to eliminate electro magnetic interference and guarantee distortion free picture and sound
- Flexible integrated strain relieve with signal direction marking for optimal signal flow and flexible installation
- Die cast metal alloyed connectors with polished chrome shielding to ensure long lasting connectivity without signal influence or loss

Technical Information

Type	HDMI-A ♂ - HDMI-A ♂
Conductor Material	UPCS OCC® (Ultra Pure Crystal Silvered Copper by Ohno Continuous Casting®)
Dielectric	Nitrogen gas injected FPE dielectric
Shielding 1	Aluminium foil
Shielding 2	Mylar foil
Shielding 3	Aluminium foil
Shielding 4	Tinned copper braiding
IAT	Dual 2nd generation aluminium shielded ferrite cores
Cable Finish	Braided nylon
Cable Ø	9.3 mm
Soldering	Precision silver
Plug	Die cast metal alloy
Contacts	24k gold plated brass contacts
Extra	Re-useable cable management

Package Content

- 1 HDMI Cable
- 1 Re-useable cable ties

Logistic Information

	Qty	Size (h x d x w)	EAN Code	Weight
Product	1 pcs	0,260 x 0,050 x 0,145 m	8717587029455	0,410 Kg
Inner carton	6 pcs	0,290 x 0,165 x 0,360 m	8717587029462	2,710 Kg
Outer carton	36 pcs	0,590 x 0,380 x 0,520 m	8717587029479	17,600 Kg