

**Brand:** Profigold  
**Product Group:** Vision  
**Sub Group:** Satellite Series  
**Article Group:** Cables  
**Date of Introduction:** August 2008



**Article Information**

**Item Number:** PROV9003  
**Description:** High Performance Digital Coaxial Antenna Interconnect  
 Provide a high grade digital Antenna signal to your HDTV or PVR

**Features & Benefits**

- 24k Hard Gold plated contacts, for excellent protection against corrosion
- Pearlized chrome plated metal connector with metal inner case, for maximum reduction of RF/EMI interference
- Superior flexible outer cable jacket, avoids cable twisting and cable fracture
- Color coded plugs with silver soldering, for easy installation and minimum transition resistance
- Silver Plated 99,9996% Oxygen Free Copper conductors, for high speed full HD signal transmission
- Superior large gauge conductors, for full performance up to 20 meters
- Multiple shielding, for maximum protection from RF/EMI interference
- High Quality PPE insulation, to ensure crystal clear sound and vision
- Interference Absorption technology<sup>®</sup>, to absorb electro Magnic and Radio Frequency interference
- Integrated cable stopper, for optimal cable management
- Integrated cable stopper, for optimal cable management

**Technical Information**

**Length:** 3,0 m / 9.9 ft  
**From Connector:** F-CONN ♂  
**To Connector:** F-CONN ♂

- 24k Hard Gold plated contacts
- Unique Profigold Metal connector
- Superior flexible outer cable jacket
- Multiple cable screening
- Superior grade Silver Plated copper
- Interference Absorption Technology

The logo for PROFIGOLD, featuring the word "PROFIGOLD" in a bold, sans-serif font inside a dark, rounded rectangular shape with a yellow-to-black gradient background.

# PRODUCT FACT SHEET

Vision

## Package Content

Digital Coaxial Antenna Interconnect

## Logistic Information

Package size code: A50

Qty of Package on hook: 4 pcs

Article Code	Qty	Size (W x D x H) m	EAN Code	Weight
Product	1 pcs	0,144 x 0,050 x 0,260 m	8717587028700	0,370 Kg
Inner Carton	6 pcs	0,360 x 0,165 x 0,285 m	8717587029233	2,450 Kg
Outer Carton	36 pcs	0,520 x 0,380 x 0,590 m	8717587029240	16,24 Kg