

Brand: Profigold
Product Group: Vision
Sub Group: Satellite Series
Article Group: Cables
Date of Introduction: August 2008



Article Information

Item Number: PROV9007
Description: High Performance Digital Coaxial Antenna Interconnect
 Provide a high grade digital Antenna signal to your HDTV or PVR

Features & Benefits

- 24k Hard Gold plated contacts, for excellent protection against corrosion
- Pearlized chrome plated metal connector with metal inner case, for maximum reduction of RF/EMI interference
- Superior flexible outer cable jacket, avoids cable twisting and cable fracture
- Color coded plugs with silver soldering, for easy installation and minimum transition resistance
- Silver Plated 99,9996% Oxygen Free Copper conductors, for high speed full HD signal transmission
- Superior large gauge conductors, for full performance up to 20 meters
- Multiple shielding, for maximum protection from RF/EMI interference
- High Quality PPE insulation, to ensure crystal clear sound and vision
- Interference Absorption technology®, to absorb electro Magnic and Radio Frequency interference
- Integrated cable stopper, for optimal cable management
- Integrated cable stopper, for optimal cable management

Technical Information

Length: 7,5 m / 24.6 ft
From Connector: F-CONN ♂
To Connector: F-CONN ♂

- 24k Hard Gold plated contacts
- Unique Profigold Metal connector
- Superior flexible outer cable jacket
- Multiple cable screening
- Superior grade Silver Plated copper
- Interference Absorption Technology

The logo for Profigold, featuring the word "PROFIGOLD" in a bold, sans-serif font inside a dark, rounded rectangular shape with a yellow-to-black gradient background.

PRODUCT FACT SHEET

Vision

Package Content

Digital Coaxial Antenna Interconnect

Logistic Information

Package size code: A100

Qty of Package on hook: 2 pcs

Article Code	Qty	Size (W x D x H) m	EAN Code	Weight
Product	1 pcs	0,144 x 0,100 x 0,260 m	8717587021510	0,635 Kg
Inner Carton	3 pcs	0,330 x 0,165 x 0,285 m	8717587024849	2,225 Kg
Outer Carton	18 pcs	0,520 x 0,350 x 0,590 m	8717587024931	15,07 Kg